

product data sheet

VARTRANS EP80

Mineral oil based GL4 / GL5 gear oil

Vartrans EP80 is a monograde gear oil meeting GL-4 / GL5 specification.

Vartrans EP80 are formulated from high quality paraffin base oils and high performance extreme pressure additives that give excellent protection against wear.

Vartrans EP80 are intended to be used in automotive vehicles including industrial and commercial vehicles.

ALWAYS REFER TO VEHICLE HANDBOOK / OWNERS MANUAL FOR RECOMMENDED OIL SPECIFICATION & VISCOSITY GRADE BEFORE USE.

Key Features

Suitable for synchromesh gear boxes
Exceptional resistance to oxidation
Long service life
Outstanding low and high temperature performance.

Specifications

API

GL-4 / GL-5

product data sheet

| Typical Data | | |
|------------------------------------|---------------------------|-------------------------|
| Parameter | Unit of measure | Result |
| Viscosity Grade | | 80W |
| Kinematic Viscosity @ 40°C | mm²/Sec | 104.00 |
| Kinematic Viscosity @ 100°C | mm²/Sec | 11.52 |
| Viscosity index | - | 97 |
| Pour point | °C | -15 |
| Specific Gravity | g/cm³ | 0.886 |
| Appearance | - | Clear and bright |
| Colour | - | Amber |

| Additional Products | | | |
|--------------------------|--|--------------------------|--|
| Varsynth Ultra | A range of semi & synthetic engine oils available in a wide range of specifications. | Vartrans | A range of automotive gear and transmission oils available in both mono and multi-grade viscosities. |
| Varol Anti-freeze | Available in concentrated form and also pre-mixed ready for use. | Varol Screen Wash | High performance commercial screen wash |